

**Correlation between Coffee Shop Visitor Characteristics and Perceptions, Knowledge and Attitudes of Covid-19 Transmission in Banda Aceh**

**Ferdi Riansyah\*<sup>1</sup> Mahruri Saputra<sup>2</sup>, Eridha putra<sup>3</sup>**

*1,2,3 Universitas Bina Bangsa Getsempena, Corresponding Author: [ferdi@bbg.ac.id](mailto:ferdi@bbg.ac.id)*

*Submitted: 14/08/2023*

*Accepted: 14/08/2023*

*Published: 15/08/2023*

**ABSTRACT**

*Background: Corona Virus is a large family of viruses that are known to cause serious lung diseases, including the Middle East Respiratory Syndrome (MERS-). and the attitude of the spread of covid-19 in Banda Aceh City. Methods: This study was conducted using a quasi-questionnaire, with the Quantitative Analytical Method, with a cross sectional approach. The population in this study were visitors at 51 a coffee shop in the city of banda aceh, with inclusion criteria >17 years, did not do take away with exclusion criteria below <17 and take away with a sample of 264 people. Data collection was carried out by direct questionnaire, where this questionnaire had been tested for validity and reliability with cronbath alpha 0.709 tested on 20 people. The independent variable is the characteristics of coffee shop visitors and the dependent variable is the perception, knowledge and attitude of the spread of covid-19. The analysis carried out is the square test. This research has received approval from the Research Ethics Committee of the Faculty of Medicine, Syiah Kuala University RSUDZA with No: 067/EA/FK-RSUDZA/2022. Results: Chi square test showed that there was a relationship between the characteristics of coffee shop visitors Last Education with perception (p value = 0.002), knowledge (p value = 0.000), attitude (p value = 0.000), Work with knowledge (p value = 0.049), and Residence with attitude (p value = 0.040) the spread of covid-19 in Banda Aceh City. The results of the Chi square test also obtained a non-significant value between age and perception (p value = 0.160), knowledge (p value = 0.059), attitude (p value = 0.262), between gender and perception (p value = 0.148), knowledge (p value = 0.182), attitude (p value = 0.065), between work and perception (p value = 0.147), attitude (p value = 0.207), between residence and perception (p value = 0.481), knowledge (p value = 0.240), the spread of covid-19 in Banda Aceh City. Conclusion: There is a relationship between the characteristics of the last education with perceptions, knowledge and attitudes, work with knowledge and residence with attitudes. There is no relationship between age characteristics with perceptions, knowledge and attitudes, gender with perceptions Knowledge and attitudes, work with perceptions and attitudes, residence with perceptions and knowledge of the spread of covid 19 in Banda Aceh City.*

**Keywords:** *Knowledge, Family Support, Stunting, Pregnant Women*

**PRELIMINARY**

Corona Virus is a large family of viruses that are known to cause serious lung diseases, including those that have occurred, namely: Severe Acute Respiratory Syndrome (SARS-) and Middle East Respiratory Syndrome (MERS-). SARS-CoV was first identified as pneumonia in Guangdong, China, which later turned into life-threatening respiratory failure. Initially, only transmission between animal-human species which later developed into human-to-human transmission called SARS-Cov 2 until now called COVID-19, the virus has infected about 8500 people with a mortality rate of 10%. (Kushalkumar H. Gohel 2020) The outbreak of this virus has an impact of a nation and Globally (Ningrum et al2020). The presence of Covid-19 as a pandemic certainly has an economic, social and psychological impact on society (Saleh and Mujahiddin, 2020). Covid 19 pandemic caused all efforts not to be as maximal as expected (Sihombing and Nasib, 2020).

Data reported by WHO showed that there were 120,383,919 confirmed COVID-19 patients, with a mortality rate of 2,664,386, while in China, 71.45% of patients aged between 30 and 65 years had confirmed COVID-19, while children aged less from 10 years obtained as much as 0.35%. The elderly population, especially those who are not immunized, as well as field workers and their respective families are more included in the high-risk group. In addition, patients with underlying diseases such as asthma, people with diabetes and heart disease are most vulnerable to COVID-19. With the latest data in December 2021, 238 million were confirmed positive and 4.28 million people died. (WHO 2021).

It was recorded that on March 11, 2020, WHO officially declared COVID-19 in Indonesia as a pandemic, an announcement attended by a number of governments and various institutions to take action to mitigate the virus and issue recommendations or requirements for the use of health protective behavior for various parties in society. (Vally 2020)

Nationally, in Indonesia on January 31, 2021, the highest number of positivity rates reached 36.18%, where this figure was more than 7 times the limit set by the WHO, namely 5%, while the death rate on January 28, 2021 reached the number 476 people, so the Case Fatality Rate (CFR) or the death rate in Indonesia is one of the highest categories, which is 2.8% above the global CFR (2.3%). The latest confirmed number of Covid-19 in Indonesia is 12,800,000 deaths, 144,000 (Sun 2021).

Several steps have been taken by the government to prevent the wider spread of COVID-19 and also to ease the burden on the health care system, including: temporarily stopping the teaching and learning process, limiting social gatherings and also implementing PSBB. Although considered one of the most stringent measures in the world, the above measures have succeeded in controlling the spread of the virus in several places (Omar F Khabour 2020).

Based on scientific research, Covid-19 can be transmitted from human to human through coughing/sneezing droplets (droplets), people who are at high risk of contracting this disease are people who are in close contact with Covid-19 patients, including those who care for Covid-19 patients and people who gather in public places resulting in a greater risk of contracting (Mourine V. Lomboan 2020).

World Health Organization (WHO) recommends controlling the spread of COVID-19 by maintaining a distance of more than 1 meter from other people (physical distance) and avoiding crowds in public places. This aims to reduce direct contact with other people who have symptoms of COVID-19 and those who are asymptomatic but have the potential to infect people. One of the recommended policies is very effective in reducing the potential for virus transmission. Several other actions were also recommended such as a policy of reducing gatherings, closing schools, workplaces, markets, public transportation, religious events, and weddings. This policy also encourages people to stay at home, work at home, study at home, and worship at home. (Sang Gede Purnama 2020).

Corona virus is transmitted through the droplets of an infected person. This can happen when someone sneezes or coughs, the droplets release so that the droplets stick to the surrounding area, especially in public places such as tables and chairs and even to open food plates where there is a crowd if other visitors touch accidentally then if you touch your nose, mouth and eyes, this can lead to contracting Covid 19 (Sartika 2020).

Coffee shops in Banda Aceh are a place that can be a place for Acehnese in general to carry out communication with other people. Coffee shops are an option for the residents of Banda Aceh City to hold meetings, interact, and get data. Some people go to coffee shops to look for data and conduct other business meetings (Mauriza, 1998).

Since the beginning of July, the government issued a regulation on Large-Scale Social Restrictions for transitional PSBB in several areas. One form of PSBB is closing restaurants, restaurants, coffee shops and so on. At the beginning, when the PSBB was carried out, it was only allowed to serve, this was carried out to prevent gatherings from happening. (Andre Dani Mawardhi 2020)

PSBB revocation, restaurants, restaurants, coffee shops and other public places can be reopened on condition that they continue to follow the health protocols as set by the government, however, there are still visitors to public places, one of which: coffee shops that ignore health protocols, such as not wearing a mask, keeping a distance and washing hands, this can be seen in almost all coffee shops in Banda Aceh. Even if you pay attention, there are as many coffee shop visitors in Banda Aceh as before the COVID-19 pandemic.

A coffee shop that is a place to meet and interact is a habit that is difficult to break from the people of Aceh. In terms of health, with the COVID-19 pandemic, this matter certainly violates the applicable rules, such as: not implementing the recommended health protocols, plus smoking behavior that spreads in almost all coffee shop rooms which results in insufficient air circulation and hygiene that is not guaranteed, can certainly make it easier for the virus to settle in that place and the transmission process occurs easily. This has become a very troubling situation and some residents / communities still do not believe in the existence of the COVID-19 pandemic that has occurred. (Pradana et al. 2020).

Based on the demographic characteristics of coffee shops in Banda Aceh, there are 51 coffee shops registered at the Public Service Mall (MPP) with different types of coffee shops, namely: with open rooms and closed rooms when viewed from the perspective of the principle of spreading the virus

in a closed room the spread of a virus is faster than in an open room, because the air exchange process is not good, especially when using an air conditioning system that does not have a good air exchange process and COVID-19 is a pathogen that spreads through the air, which is transmitted through droplets (Rev. Dwi Nugroh 2020).

The city of Banda Aceh has the largest distribution of coffee shops, namely the Kuta Alam sub-district according to data reports obtained from the Public Service Mall (MPP) in the city of Banda Aceh as many as 13 coffee shops, while the lowest sub-district for the distribution of coffee shops is in the districts of Kuta Raja and Meuraxa with 1 coffee shop per sub-district. During the researchers conducted observations at several coffee shops in Banda Aceh, the researchers found that many people did not implement health protocols in coffee shops during the COVID-19 pandemic. So in this case the researcher wants to analyze the perceptions, knowledge and attitudes of coffee shop visitors to the risk of contracting COVID-19 in the city of Banda Aceh.

## RESEARCH METHODS

### Type Of Research

This study uses an analytical survey research type: cross sectional, namely research that aims to determine the relationship between variables where the independent variable and dependent variable are identified in one unit of time (Dharma, 2014).

The location of this research was carried out in as many as 51 coffee shops in Banda Aceh City that were registered at the Public Service Mall (MPP). With a total of 8 sub- districts, which are in Banda Aceh City. This research was carried out from April to August 2021 and the sampling was finished. The research was conducted on 51 coffee shops in 9 sub-districts in Banda City with a period of 5 months.

## RESEARCH RESULTS AND DISCUSSION

### Research Result

**Table 1. Distribution of Characteristics of Coffee Shop Visitors with the Spread of Covid- 19 in Banda Aceh**

Characteristics	Amount	(%)
Age		
1. Teenager	38	14.4
2. Early Adult	114	43.2
3. Late Adult	74	28.0
4. seniors	38	14.4
Gender		
1. Man	182	68.9
2. women	82	31.1
Education		
1.Low-Medium	107	41.5
2.Tall	157	59.5
Work		
1.formal	53	20,9
2.informal	211	79,9

From the results of the analysis, it was found that the age of the most respondents was 114 respondents in the early adult category with a percentage of 43.2%, while for the late adult age category 74 respondents with a percentage of 28.0%, for the elderly category there were 38 respondents with a percentage of 14, 4% and for the category of teenagers as many as 38 respondents with a percentage of 14.4%. As for the distribution of gender data, 182 male respondents were found with a percentage of 68.9%, while for female respondents, it was found that 82 people with a percentage of 31.1%. For the

distribution of the education level of respondents, it is almost evenly distributed for each level of education, most of the respondents have tertiary education as many as 157 people (59.5), while for education and low, each is 100 (37.9%), 7 (2,

The distribution of respondents' work found that the most respondents worked Informal 211 (79.9%) respondents while for formal jobs 53 (20.1%). As for the distribution of the respondents' residences, it was almost evenly distributed, but it was found that most of the respondents lived in Kuta Alam District as many as 42 (15.9%), while for Baiturrahman 24 (9.1%), Ulee Kareng 28 (10.6), Syiah Kuala 37(14.0), Lueng Bata 30 (11.4%), Kuta Raja 24 (9.5%), Banda Raya 31 (11.7%), Jaya Baru 26 (9.8%) and Meuraxa 21 (8.0%).

**Table 2. . Distribution of Coffee Shop Visitors' Perceptions with the Spread of Covid-19 in Banda Aceh**

Perception	Amount	(%)
Good	121	54.2
Not good	143	45.8

Based on table 2, it shows that the perception of coffee shop visitors in Banda Aceh is that 121 respondents (54.2%) have a good perception while the other 143 respondents (45.8%) have a bad perception.

**Table 3. Knowledge Distribution of Coffee Shop Visitors with the Spread of Covid-19 in Banda Aceh**

Knowledge	Amount	(%)
Good	94	35.6
Not good	170	64.4

Based on table 3 shows that the knowledge of coffee shop visitors in Banda Aceh is as many as 94 respondents (35.6%) have good knowledge while the other 17 respondents (64.4%) have poor knowledge.

**Table 4. Distribution of Attitudes of Coffee Shop Visitors with the Spread of Covid-19 in Banda Aceh**

Attitude	Amount	(%)
Good	135	51.1
Not good	129	48.9

Table 4 shows that the attitudes of coffee shop visitors in Banda Aceh are 135 respondents (51.1%) have a good attitude while the other 129 respondents (48.9%) have a bad perception.

## DISCUSSION

1.The Relationship between the Age Characteristics of Respondents, Coffee Shop Visitors, and Perceptions of the Spread of Covid-19 in Banda Aceh

This variable will discuss the results of research on the relationship between age characteristics and perceptions of the spread of covid 19 where the value obtained is  $P > 0.160$ , it can be concluded that there is no relationship between the age of the respondent and the perception of the spread of covid 19 in Banda Aceh City.

There are many coffee shop visitors in the city of Banda Aceh who are categorized as early adulthood and late adulthood, where at this age coffee shop visitors already know about this pandemic incident, either from social media, banners or billboards posted by the government in almost every corner. The city of Banda Aceh, plus socialization from both the government and the community who care about health, but the community, especially coffee shop visitors, are still not fully concerned about the spread of covid 19.

This is in line with what was reported by the Banda Aceh Health Public Relations (Dinkes 2021) which was conveyed by Plt Satpol PP, Heru Triwijanarko, that there are still many people, especially youths who do not apply health protocols, when they are in public places such as coffee shops and cafes. , from several places visited there are still many who have not used masks, masks exist but are not used.

Perspective for the people of Aceh, Banda Aceh coffee or coffee shops are symbols or symbols to form relationships silaturahmi. The coffee shop is a gathering place for various groups of people, where it is used for business gatherings or office meetings (Putra 2015).

## 2. The Relationship between the Gender Characteristics of Respondents, Coffee Shop Visitors, and Perceptions of Covid-19 Transmission in Banda Aceh.

This variable will discuss the results of research on the relationship between gender characteristics and the perception of the spread of covid 19 with a  $P$  value  $> 0.148$ , so it can be concluded that there is no relationship between the age of the respondent and the perception of the transmission of covid 19 in Banda Aceh City.

In accordance with Green's theory stated in (Wulandari 2021) which we often know as the Health Belief Model, it is argued that gender does not affect a person's perception, but gender affects one of the components in perception such as emotion and affect.

The researcher argues that why gender does not affect the perception of the spread of covid19, because at this time the community, especially Banda Aceh, is more familiar with an event that is being experienced by both men and women, this is because access to social media and promotions that are intensively carried out by the government make the public knows better, both men and women, but apart from knowing this, it is not necessarily the community that applies what they already know in their daily lives, this is seen by researchers when conducting research there are still many public perceptions, both male and female boy or women, there are some respondents who say they don't believe in this pandemic, they even make this statement just a government engineering.

The results of this study are also in line with research conducted by (Harahap 2021) in this study, which obtained a  $p$  value  $> 0.085$ , indicating that the perception of health services during the COVID-19 pandemic had no effect on gender.

## 3. The Relationship between the Last Educational Characteristics of Respondents, Coffee Shop Visitors, and Perceptions of the Spread of Covid-19 in Banda Aceh.

This variable wants to discuss the results of research on the relationship between the characteristics of the last education and the perception of the spread of covid 19 for coffee shop visitors. The results found a  $P$  value  $> 0.002$ , so it can be concluded that there is a relationship between the respondent's last education and the perception of covid 19 transmission in Banda Aceh City.

Based on the results of research conducted by the (Fatma 2021) test, statistical results were obtained with a  $p$  value of  $> 0.045$ , which means that there is a relationship between public perception and efforts to prevent the spread of covid 19. The correlation coefficient value of 0.184 means that it is related but very weak and in the same direction. Between public perception and efforts to prevent COVID-19, this means that the better the perception, the better the prevention efforts.

According to Leavit, a person gets a perception that is from visual stimuli, namely how to see something, whereas if interpreted broadly this perception is how a person perceives or interprets an object or an event that is happening or being experienced.

The researcher assumes that a person's educational background greatly influences this perception because the higher a person's education, the better/better the perception is, especially for people whose educational background is in the health sector, people with health education understand more about this covid pandemic, because The theory of this group is familiar with health theories, especially about the process of developing a disease. But that doesn't mean people with non-health education backgrounds have bad perceptions, it's just that if they are distinguished from people with health education backgrounds, there must be differences in their perceptions with those with health backgrounds, but with the ease of using social media like now people will easily absorb information about this pandemic.

#### 4.The Relationship between the Job Characteristics of Respondents, Coffee Shop Visitors, and Perceptions of Covid-19 Transmission in Banda Aceh.

This variable will discuss the results of research on the relationship between job characteristics and perceptions of the spread of covid 19 with a P value > 0.596, so it can be concluded that there is a relationship between the respondent's last education and the perception of covid 19 transmission in Banda Aceh City.

This study is in line with research conducted by (Ratih 2021) where the proportion of variance is higher when knowledge and perception are included. No significance was found in employment with perceived vulnerability as the dependent variable. In terms of responses and effects applied/obtained, participants in the central region strongly believe that the community can take practical actions to prevent himself from contracting covid-19 not because he works in a certain place so that he can more freely prevent covid19.

One of the reasons for this lack of a work relationship with people's perceptions is that respondents don't really care about this pandemic, one example is not keeping their distance while they are working and they are not working, not because they don't know that one way to spread covid 19, especially in public places such as coffee shops are caused because they do not keep their distance, this is proven when researchers conduct research in the field, it is still found that people do not keep their distance. It is also possible that this can be related to the habits of the respondents, most of which are habits when people hang out in coffee shops before and during the pandemic, even though in every corner of the coffee shop room there are billboards about health promotion.

It is known from the results of the bivariate analysis test conducted by previous research (Pertiwi 2021) it was found that there was no relationship between work and the level of perception about Covid-19 and the application of physical distancing behavior with a significance value ( $p > 0.058$ ) and a value of 95 CL, 1.721- 2,431.

## CONCLUSIONS AND SUGGESTIONS

### Conclusions

There is no relationship between the age characteristics of the respondents and the perception of the spread of covid 19, with a significance level of  $p > 0.160$ , which means that there is no relationship between the age of coffee shop visitors and the perception of the spread of covid 19 in Banda Aceh City. There is no relationship between the respondent's age characteristics and knowledge of the spread of covid 19, with a significance level of  $p > 0.059$ , which means that there is no relationship between the age of coffee shop visitors and knowledge of the spread of covid 19 in Banda Aceh City. There is no relationship between the respondent's age characteristics on the attitude of the spread of covid 19, with a significance level of  $p > 0.262$ , which means that there is no relationship between the age of coffee shop visitors to the attitude of the spread of covid 19 in Banda Aceh City. There is no relationship between the gender characteristics of the respondents and the perception of the spread of covid 19, with a significance level of  $p > 0.148$ , which means that there is no relationship between the sex of coffee shop visitors and the perception of the spread of covid 19 in Banda Aceh City.

### Suggestions

As additional information for further research development, especially for midwifery researchers who wish to develop research on domains that influence stunting.

**Referance**

1. Abdul, A. R., Nuraini, A., Elisa, K. & Iman, S. "Faktor-Faktor Psikososial dari Ketidapatuhan Masyarakat pada Masa Pandemi." *Jurnal Psikososial*, 2020: 1-10.
2. Aceh, Mc Kota Banda. *Sosialisasi Protokol Kesehatan di Kecamatan Banda Raya Sasar Pasar Kaget*. Banda Aceh: Kecamatan Banda Raya, Info Publik, 2020.
3. Andre Dani Mawardhi, SP. *New Normal Bisnis Kedai Kopi Ditengah Pandemi Covid-19*. <https://deplantation.com/berita/2020/11/new-normal-bisnis-kedai-kopi-ditengah-pandemi-covid-19/>, 2020.
4. Andrews et al, Ressa Andriyani Utami. "Pengetahuan, Sikap dan Keterampilan Masyarakat dalam Pencegahan COVID-." *jurnal Kesehatan Holistic*, 2020: 03-04.
5. Angoro. *Ketika-manisnya-profit-kedai-kopi-tak-sebanding-bahaya-covid-19*.
6. Asyilah, Nur Anisah. "Tingkat Pengetahuan, Sikap, Dan Tindakan Tenaga Pendidik Terhadap Penanganan Dan Pencegahan Covid-19 Di Kota Medan." 2021: 75. *Berita lokal, Banda Aceh: Antara news.com*, 2020. CDC. "prevent covid by keeping your distance." Monday 2020: 4. Daerah. *Kementrian dalam Negeri Indonesia*, 2020.
7. Devi, Pramita Sari, Nabila Sholihah 'Atiqoh. "Hubungan Antara Pengetahuan Masyarakat Dengan Kepatuhan Penggunaan Masker Sebagai Upaya Pencegahan Penyakit Covid-19 Di Ngronggah." *Jurnal Ilmiah Rekam Medis dan Informasi Kesehatan* <https://doi.org/10.47701/infokes.v10i1.850>, 2020.
8. Dewi, Erika Untari. "Faktor-Faktor Yang Mempengaruhi Perilaku Masyarakat alam Pencegahan Penularan Covid-19." *STIKes William Booth Surabaya, Jl.Cimanuk no.20 Surabaya*, 2020: 03-04.
9. Dinkes. "Tingkatkan Disiplin Masyarakat, Satgas Covid-19 Kota Banda Aceh Gelar Razia Masker." April 2021: 01-02.
10. Ekadipta, Febri Hidayat, Dede Komarudin, Priyonggo Artaji, Isngunaenah, Mita Sukamdiyah. "Pengaruh Antara Pendidikan, Pekerjaan, and Dan Pengetahuan Mengenai Covid-19 Terhadap Kepatuhan Penerapan Psbb." *Jurnal Kesehatan Masyarakat*, 8, ISSN: ISSN 2442- 4986, 2021: 03-08.
11. Gannikaa, Erika Emnina Sembiringa. "Tingkat Pengetahuan dan Perilaku Pencegahan Coronavirus Disease 2019 (COVID-19) Pada Masyarakat Sulawesi Utara." *Jurnal Keperawatan*, Volume 16, No. 2, Oktober 2020, 2020: 04-07.
12. Gibson cit, Azwar. "Menjaga Mutu Pelayanan Kesehatan Aplikasi Prinsip Lingkaran Pemecahan Masalah." Azwar. 2006. *Menjaga Mutu Pelayanan Kesehatan Aplikasi Prinsip Lingkaran Pemecahan Masalah*, 2006: 20.
13. Gohel, K. H. et al. "Knowledge and perceptions about COVID-19 among the medical and allied health science students in India." *Epidimiologi, Public health*, 2020: 104-109.
14. Harahap, Desy Ramadhani. "Persepsi Masyarakat Terhadap Kualitas Pelayanan Kesehatan pada Masa Pandemi COVID-19 di Kota Binjai ." *Fakultas*
15. Hidayatullah. "sikap menghadapi Covid 19." 2020: 1.
16. Ita Karisma Putri, Tri Munasari, Helmi Rizkia P, Sri Kholipah, Fanisa Arum. "Strategi Belajar Mengajar Efektif Di Tingkat Sekolah Dasar Berbasis." *public Health*, 2020: 01-02.
17. Jesica Maudi, Rizma Adlia Syakurah. "Pengetahuan terkait usaha pencegahan Coronavirus Desease (COVID-19) di Indonesia." *Higeia Journal Of Public Health Research And DEVELOPMENT*, <https://doi.org/10.15294>, 2020: 09-10.

18. Kasimin, S. " Characteristic and Factors that Influence the Number of Visitors and Profit Level of Popular Coffee Shops in Banda Aceh City." 2017: 472-479. Kemendagri.Panduan Umum Menghadapi Covid-19 Bagi Pemerintah
19. Kemenkes, RI. "Peraturan Pemerintah Nomor 21 Tahun 2020 tentang Pembatasan Sosial Berskala Besar dalam rangka Percepatan Penanganan Corona Virus Disease 2019." Peraturan Pemerintah Nomor 21 Tahun 2020 tentang Pembatasan Sosial Berskala Besar dalam rangka Percepatan Penanganan Corona Virus Disease 2019. Jakarta, 2020. 02. Kesehatan Masyarakat, 2021: 05.
20. Kushalkumar H. Gohel, Prati B. Pate,Pushti M. Shah. "Knowledge and perceptions about COVID-19 among medical and science students." *Clinical Epidemiology and Global Health*, 2020: 1-2.
21. Latif, Muhammad Syafar, Andi Yusuf, A Syamsinar Asmi. "Analisis Faktor Yang Berpengaruh Terhadap Kepatuhan Pengunjung Warkop Pada Protokol Kesehatan Covid-19." *Jurnal Ilmiah Kesehatan Sandi Husada*, DOI 10.35816/jiskh.v10i2.627, 2021: 04-10.
22. Mariatul Fadilah, Pariyana, Zulkarnain, Sredaran Nair J. Muralidharan Nair, Fatimah Azzahra, Rizma Adlia Syakurah3. "Pengaruh Perilaku Masyarakat Terhadap Aktivitas Fisik Di Tempat Tinggal Selama Pandemic Coronavirus 19." *Indonesian Journal for Health Sciences SSN 2549-*
23. Marois, G., Muttarak, R. & Scherbov, S. "Assessing the potential impact of COVID-19 on life expectancy." *Public Health*, 2020: 1-12.
24. Muhdar, Heriviyatno Julika Siagian, Grace Tedy Tulak, Abd. Gani Baeda, Tukatman, Marian. "Hubungan Pengetahuan dan Sikap terhadap Praktik Pencegahan COVID-19 pada Narapidana." *Nursing Jurnal*, DOI 10.14710/jpki.16.2.72-78, 2021: 06-07.
25. Ningrum, P. A., et al. (2020). The Potential of Poverty in the City of Palangka Raya: Study SMIs Affected Pandemic Covid 19. *Budapest International Research and Critics Institute-Journal (BIRCI-Journal) Volume 3, No 3, Page: 1626-1634*
26. Notoatmodjo. "Metodologi Penelitian Kesehatan Jakarta." *Promosi Kesehatan*, 2010: 50- 55.